




# BORES ULTRALIM PRO

## USER MANUAL



1. The luminaire shall be installed by a qualified electrician and wired in accordance with the latest IEE electrical regulations or the national requirements.
2. No supplied water-proof box, installation should be advised by qualified professional.
3. The external flexible cable can not be replaced. If the cable is damaged, the luminaire should be discarded.

## DRAWING:



## INSTALLATION:

1. Steady Color Mode: Directly connect outside power supply (pay attention to the matchable of connectors).
2. DMX Mode: work with DMX controller (off-line or on-line)


## CAUTIONS:

1. Do not plug them into power when the product is still in package;
2. Don't use anything to cover the fixture during application;
3. Don't use this product in close environment;
4. If this product appears to be damaged, do not attempt any repair, please contact your dealer.

\*Pls twist the connector well in order to avoid water going side and making fixture failure.

## CONNECTION DRAWING

### 1. Steady color connection:




### 2. DMX Control connection:


Signal Max.connection is 40 pcs fixture every port, if over 40pcs,then signal splitter.

### 3. DMX mode:

24VDC type:



100~277V type:



Mode No	Voltage	Power connection (MAX)	Voltage	Power connection (MAX)	Signal Connection (RGBW: 32CH/4f)
BORES ULTRASLIM PRO 1220mm DMX	24V DC	6 PCS	100~277V AC	20 PCS(100~120V) 50 PCS(220~240V)	16 PCS
BORES ULTRASLIM PRO 615mm DMX	24V DC	12 PCS	100~277V AC	50 PCS(100~120V) 110 PCS(220~240V)	32 PCS
BORES ULTRASLIM PRO 313mm DMX	24V DC	24 PCS	100~277V AC	80 PCS(100~120V) 180 PCS(220~277V)	64 PCS
BORES ULTRASLIM PRO 1220mm	24V DC	6 PCS	100~277V AC	20 PCS(100~120V) 50 PCS(220~240V)	–
BORES ULTRASLIM PRO 615mm	24V DC	12 PCS	100~277V AC	50 PCS(100~120V) 110 PCS(220~240V)	–
BORES ULTRASLIM PRO 313mm	24V DC	24 PCS	100~277V AC	80 PCS(100~120V) 180 PCS(220~277V)	–
BORES ULTRASLIM PRO 1000mm DMX	24V DC	6 PCS	100~277V AC	20 PCS(100~120V) 50 PCS(220~240V)	16 PCS
BORES ULTRASLIM PRO 502mm DMX	24V DC	12 PCS	100~277V AC	50 PCS(100~120V) 110 PCS(220~240V)	32 PCS
BORES ULTRASLIM PRO 1000mm	24V DC	6 PCS	100~277V AC	20 PCS(100~120V) 50 PCS(220~240V)	–
BORES ULTRASLIM PRO 502mm	24V DC	12 PCS	100~277V AC	50 PCS(100~120V) 110 PCS(220~240V)	–