


SMILE






User manual




1. The luminaire shall be installed by a qualified electrician and wired in accordance with the latest IEE electrical regulations or the national requirements.
2. No supplied water-proof box, installation should be advised by qualified professional.
3. The external flexible cable can not be replaced. If the cable is damaged, the luminaire should be discarded.



Installation Instructions

Packing List		
	Base plate templates	1PCS
	Screw fixing plate	1PCS
	Screw M5*16	5PCS
	Screw M8	3PCS
	Nut M8	3PCS

AC 100-240V / AC 220-240V
AC/ 120-277V / 50/60Hz







0.9M




0.5M

Physical Dimensions(mm/inch)





Installation


①



②




③




Suggested cement column size

④




5




The direction of light should be on both side of notch. Please install bollard head properly.


6



7




8



3 screw holes and notch marks must be in one line

notch marks

9




Product Specifications	14W		24W	
Input Voltage	AC 100-240 V/220-240V/120-277V			
Power Frequency	50 / 60 Hz			
Size	Ø165×500mm	Ø165×900mm	Ø165×500mm	Ø165×900mm
Net Weight	4.5±0.3kg	6.16±0.3kg	4.5±0.3kg	6.16±0.3kg
Working Temperature	-30°C to + 50°C			
Storing Temperature	-40°C to + 70°C			

	L	brown	black		
	N	blue	white		
	Ⓢ GND	yellow/green	green		


Dimmable

	DIM+ / DA1	blue	brown	purple	white
	DIM- / DA2	white	blue	gray	black



Warning! do not wire dim cord to high voltage, or dim function will fail.

- This luminaire can be outdoor use.
- For type Y attachments: if the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



img-lighting.ru
info@img-lighting.ru

TO CREATE IMPRESSIVE RESULTS